

Layout using semantic elements

```
<html>
<head>
<style>
header {
  background-color:black;
  color:white;
  text-align:center;
  padding:5px;
}
nav {
  line-height:30px;
  background-color:#eeeeee;
  height:300px;
  width:100px;
  float:left;
  padding:5px;
}
section {
  width:350px;
  float:left;
  padding:10px;
}
footer {
  background-color:black;
  color:white;
  clear:both;
  text-align:center;
  padding:5px;
}
</style>
</head>
<body>

<header>
<h1>City Gallery</h1>
</header>

<nav>
London<br>
```

```
Paris<br>
Tokyo<br>
</nav>
```

```
<section>
```

```
<h1>London</h1>
```

```
<p>
```

London is the capital city of England. It is the most populous city in the United Kingdom, with a metropolitan area of over 13 million inhabitants.

```
</p>
```

```
<p>
```

Standing on the River Thames, London has been a major settlement for two millennia, its history going back to its founding by the Romans, who named it Londinium.

```
</p>
```

```
</section>
```

```
<footer>
```

Copyright © W3Schools.com

```
</footer>
```

```
</body>
```

```
</html>
```

Produces

City Gallery

London

Paris

Tokyo

London

London is the capital city of England. It is the most populous city in the United Kingdom, with a metropolitan area of over 13 million inhabitants.

Standing on the River Thames, London has been a major settlement for two millennia, its history going back to its founding by the Romans, who named it Londinium.